

A Study on Suicide problem using Combined Overlap Block Neutrosophic Cognitive Maps

P. Thiruppathi

Department of Mathematics, J.J. College of Engineering and Technology, Trichy-09
thirupathi28@yahoo.co.in

N.Saivaraju

Department of Mathematics, Shri Angalamman College of Engg. &Tech., Trichy-05
saivaraju@yahoo.com

K.S. Ravichandran

Department of Information Technology, SASTRA University, Thanjavur -01
raviks@it.sastra.edu

Abstract

In this article we study to find out the vital reason for suicides using Overlap Block Neutrosophic Cognitive Maps (COBNCMs) defined by Smarandache Florentin and W.B. Vasantha kandasamy . The Combined Overlap Block Neutrosophic Cognitive Maps defined in this method becomes effective when the number of concepts can be grouped and are large in numbers. This paper has four sections. In the first section we recall the following fundamentals of Neutrosophic Cognitive Maps (NCMs) and Combined Block Neutrosophic Cognitive Maps (CBNCMs). In section two, we recall Combined Overlap NCMS. In the third Section we give the adaptation of Overlap NCM to the problem. In the last section we give the conclusion based on our study.

Keywords: NCMs, CBNCMs, Suicide

Section 1. Fundamentals of Neutrosophic Cognitive Maps (NCMS) and Overlap Block NCMs.

In this section we just recall that the fundamentals of Neutrosophic cognitive maps and Overlap NCM.

Definition 1.1: Neutrosophic Cognitive Map is the generalization of Fuzzy Cognitive Map. A Neutrosophic Cognitive Map (NCM) is a neutrosophic directed graph with concepts like policies, events etc. as nodes and causalities or indeterminates as edges. It represents the causal relationship between concepts.

Definition 1.2: NCMs with edge weight from $\{-1, 0, 1, I\}$ are called simple NCMs.

Definition 1.3: Let C_1, C_2, \dots, C_n be nodes of a NCM. Let the neutrosophic matrix $N(E)$ be defined as $N(E) = (e_{ij})$ where e_{ij} is the weight of the directed edge $C_i C_j$, where $e_{ij} \in \{0, 1, -1, I\}$. $N(E)$ is called the neutrosophic adjacency matrix of the NCM.

Definition 1.4: Let C_1, C_2, \dots, C_n be the nodes of the NCM. Let $A = (a_1, a_2, \dots, a_n)$ where $a_i \in \{0, 1, I\}$. A is called the instantaneous state neutrosophic vector and it denotes the on, off, indeterminate state position of the node at an instant

$a_i = 0$ if a_i is off (no effect)

$a_i = 1$ if a_i is on (has effect)

$a_i = I$ if a_i is indeterminate(effect cannot be determined), for $i = 1, 2, \dots, n$.

Definition 1.5: Let C_1, C_2, \dots, C_n be the nodes of the FCM. Let $C_1C_2, C_2C_3, \dots, C_{n-1}C_n$, be the directed edges of the NCM. Then the edges form a directed cycle. An NCM is said to be cyclic if it possesses a directed cycle. An NCM is said to be acyclic if it does not possess any directed cycle.

Definition 1.6: An NCM with cycles is said to have a feedback. When there is a feedback in the NCM i.e. when the causal relations flow through a cycle in a revolutionary manner, the NCM is called a dynamical system.

Definition 1.7: Let $C_1C_2, C_2C_3, \dots, C_{n-1}C_n$ be the directed cycle, when C_i is switched on and if the causality flow through the edges of a cycle and if it again causes C_i , we say that the dynamical system goes round and round. This is true for any node C_i , for $i = 1, 2, \dots, n$. The equilibrium state for this dynamical system is called the hidden pattern.

Definition 1.8: If the equilibrium state of a dynamical system is a unique state vector, then it is called a fixed point. Consider the NCM with C_1, C_2, \dots, C_n as nodes. For example let us start the dynamical system by switching on C_1 . Let us assume that the NCM settles down with C_1 and C_n on, i.e. the state vector remain as $(1, 0, \dots, \dots, 0, 1)$. This neutrosophic state vector $(1, 0, \dots, \dots, 0, 1)$ is called the fixed point.

Definition 1.9: If the NCM settles with a neutrosophic state vector repeating in the form

$$A_1 \rightarrow A_2 \rightarrow \dots \rightarrow A_i \rightarrow A_1, \text{ then this equilibrium is called a limit cycle of the NCM.}$$

Definition 1.10: Let P be the problem under investigation. Suppose let $\{C_1, C_2, \dots, C_n\}$ be n concepts associated with P (n very large). Now divide the number of concepts $\{C_1, C_2, \dots, C_n\}$ into classes S_1, \dots, S_t where the classes are such that

A Study on Suicide problem using Combined Overlap Block Neutrosophic Cognitive Maps

- (1) $S_i \cap S_{i+1} \neq \emptyset$ where $(i = 1, 2, \dots, t-1)$
- (2) $\cup S_i = \{ C_1, C_2, \dots, C_n \}$
- (3) $|S_i| \neq |S_j|$ if $i \neq j$ in general.

Now we obtain the NCM associated with each of the classes S_1, \dots, S_t . We determine the relational matrix associated with each S_i .

Using these matrices we obtain a $n \times n$ matrix. This $n \times n$ matrix is the matrix associated with the Combined Overlap Block NCM (COBNCM) of blocks of same sizes.

Definition 1.11 Finite number of NCMs can be combined together to produce the joint effect of all NCMs. If $N(E_1), N(E_2), \dots, N(E_p)$ be the neutrosophic adjacency matrices of a NCM with nodes C_1, C_2, \dots, C_n then the combined NCM is got by adding all the neutrosophic adjacency matrices $N(E_1), \dots, N(E_p)$. We denote the combined NCMs adjacency neutrosophic matrix by $N(E) = N(E_1) + N(E_2) + \dots + N(E_p)$.

Section 2: “Problem definition and Justification for using Overlap Block NCM Model”

Suicide is one of the leading cause of death in the world. The purpose of study is to identify the risk groups. Suicide is defined as deliberate killing of oneself. Suicides are most likely to occur during the periods of socio economic, family and individual crisis. Suicide prevention is an umbrella term for the collection of efforts of local citizen organizations, mental health practitioners and related professionals to reduce the incidence of suicide through the preventive and proactive measures. Moreover the data is an unsupervised one and also there is uncertainty and indeterminacy in the concepts. Hence Neutrosophic tool alone has the capacity to analyse these concepts. Hence it is chosen here.

Section 3: Adaption of Overlap Block NCM to the problem

Using the linguistic questionnaire and the experts opinion we have taken the following eight concepts $\{C_1, C_2, \dots, C_8\}$. The following concepts are taken as the main nodes for our problem.

- C_1 – Poverty and unmanageable living cost (Economic Crisis)
- C_2 - Working hours more with poor salary.
- C_3 - Lack of commitment from the breadwinners.
- C_4 – Failure in business.
- C_5 – Inability to deal with dept trap and torture from “kanduvattikarars”(usurers)
- C_6 – Government indifferences.
- C_7 – Stress from mental, sexual and physical torture in the working places.
- C_8 – Lack of counselors to help persons out of depression.

Now we proceed on to apply the effect of combined overlap block NCM of equal length. Let us consider the eight concepts $\{C_1, C_2, \dots, C_8\}$. We divide these concepts into cyclic way of classes, each having just four concepts in the following way.

$$S_1 = \{ C_1, C_2, C_3, C_4, \}, S_2 = \{C_3, C_4, C_5, C_6\}, S_3 = \{C_5, C_6, C_7, C_8, \}, S_4 = \{ C_7, C_8, C_1, C_2\}.$$

The directed graph and the relation matrix for the class $S_1 = \{ C_1, C_2, C_3, C_4, \}$ given by the expert is as follows.




Figure 1

| | C_1 | C_2 | C_3 | C_4 |
|-------|-------|-------|-------|-------|
| C_1 | 0 | 1 | 0 | 0 |
| C_2 | 1 | 0 | 0 | 0 |
| C_3 | 1 | 0 | 0 | 0 |
| C_4 | 1 | 1 | 0 | 0 |

The directed graph and the relation matrix for the class $S_2 = \{C_3, C_4, C_5, C_6\}$ given by the expert is as follows.




Figure 2

$$\begin{array}{c}
 C_7 \quad C_8 \quad C_1 \quad C_2 \\
 \left. \begin{array}{l}
 C_7 \\
 C_8 \\
 C_1 \\
 C_2
 \end{array} \right\} \begin{pmatrix}
 0 & 1 & 1 & 0 \\
 1 & 0 & 0 & 0 \\
 1 & 0 & 0 & 1 \\
 1 & 0 & 1 & 0
 \end{pmatrix}
 \end{array}$$

The combined directed graph and combined overlap block NCM of equal sizes is as follows:

$$A = \begin{array}{c}
 \begin{array}{l}
 C_1 \\
 C_2 \\
 C_3 \\
 C_4 \\
 C_5 \\
 C_6 \\
 C_7 \\
 C_8
 \end{array}
 \begin{pmatrix}
 & C_1 & C_2 & C_3 & C_4 & C_5 & C_6 & C_7 & C_8 \\
 C_1 & 0 & 2 & 0 & 0 & 0 & 0 & 1 & 0 \\
 C_2 & 2 & 0 & 0 & 0 & 0 & 0 & 1 & 0 \\
 C_3 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\
 C_4 & 1 & 1 & 0 & 0 & 1 & 1 & 0 & 0 \\
 C_5 & 0 & 0 & 0 & 0 & 0 & 2 & 1 & 1 \\
 C_6 & 0 & 0 & 0 & 1 & 2 & 0 & 0 & 0 \\
 C_7 & 1 & 0 & 0 & 0 & 1 & 0 & 0 & 2 \\
 C_8 & 0 & 0 & 0 & 0 & 0 & 0 & 2 & 0
 \end{pmatrix}
 \end{array}$$




Figure 5

A Study on Suicide problem using Combined Overlap Block Neutrosophic Cognitive Maps

Now using the matrix A of the Combined overlap block NCM., we determine the hidden pattern. Suppose the concept C_1 is in the ON state and all the nodes are in the OFF state. Let the initial input vector be $X = (0\ 0\ 0\ 0\ 0\ 0\ 0\ 1)$, where Lack of counselors to help persons out of depression is taken as the ON state and all other nodes are in the OFF state.

The effect of X on the dynamical system A is given by:

$$XA = (0\ 0\ 0\ 0\ 0\ 0\ 2\ 0)$$

$$\hookrightarrow (0\ 0\ 0\ 0\ 0\ 0\ 1\ 1) = X_1 \text{ (say)}$$

$$X_1 A = (1\ 0\ 0\ 0\ 1\ 0\ 2\ 2)$$

$$\hookrightarrow (1\ 0\ 0\ 0\ 1\ 0\ 1\ 1) = X_2 \text{ (say)}$$

$$X_2 A = (1\ 2\ 0\ 0\ 1\ 2\ 4\ 3)$$

$$\hookrightarrow (1\ 1\ 0\ 0\ 1\ 1\ 1\ 1) = X_3 \text{ (say)}$$

$$X_3 A = (3\ 2\ 0\ 1\ 3\ 2\ 5\ 3)$$

$$\hookrightarrow (1\ 1\ 0\ 1\ 1\ 1\ 1\ 1) = X_4$$

$$X_4 A = (I + 3I + 20I + 3I^2 + 25I^3)$$

$$\hookrightarrow (1\ 1\ 0\ 1\ 1\ 1\ 1\ 1) = X_4$$

(where \hookrightarrow denotes the resultant vector after thresholding and updating), X_4 is the hidden pattern, which is the fixed point.

Section 4. Conclusion

While analyzing NCM, when the concept C_8 , “Lack of counselors to help persons out of depression”, is in the ON state, the other concepts C_1, C_2, C_5, C_6, C_7 are in the ON state, C_3 is in the OFF state and at the same time C_4 is in indeterminate state i.e. When there is Lack of counselors to help Persons out of depression, there will be Poverty and unmanageable living cost (Economic Crisis), Working hours more poor salary, Inability to deal with dept trap and torture from kanduvattikarars”(usurers), Government indifferences, Stress from mental, sexual and physical torture in the working places and also there may be business failure. Therefore “**Lack of counselors to help persons out of depression**” is the major reason for the suicides, since they can help the persons for a stress less life thereby avoid suicides.

References

1. Kosko, B., January, 1986, “Fuzzy Cognitive Maps”, International journal of man-machine studies, pp.62-75
2. Vasantha Kandasamy and Smarandache Florentin, 2004, “Analysis of social aspects of migrant labourers living with HIV/AIDS using Fuzzy Theory and Neutrosophic Cognitive Maps”, Xiquan, Phoenix.
3. Vasantha Kandasamy W.B. and Victor Devadoss A., 2004, “Some New Fuzzy Techniques”, Jour. of inst. of Math. & Comp. Sci. (Math.ser.), Vol. 17, No.2 (pp.157-160).
4. “How bonded labourer in rice mills suffer”, The New Indian Express, Aug 21, 2004 and Thinathanthi, October 2004.
5. “Rich Tirupur is India’s Suicide Capital”, Deccan Chronicle, July 23, 2010.