

# Neutrosophic Image Retrieval with Hesitancy Degree

A.A.Salama<sup>1</sup>, Mohamed Eisa<sup>2</sup>, Hewayda ElGhawalby<sup>3</sup>, A.E.Fawzy<sup>4</sup>

<sup>1</sup>Port Said University, Faculty of Science, Department of Mathematics and Computer Science, Egypt  
[drsalama44@gmail.com](mailto:drsalama44@gmail.com)

<sup>2,4</sup>Port Said University, Higher Institute of Management and Computer, Computer Science Department, Egypt  
[mmmeisa@yahoo.com](mailto:mmmeisa@yahoo.com)  
[ayafawzy362@gmail.com](mailto:ayafawzy362@gmail.com)

<sup>3</sup>Port Said University, Faculty of Engineering, Physics and Engineering Mathematics Department, Egypt

**Abstract** The aim of this paper is to present texture features for images embedded in the neutrosophic domain with Hesitancy degree. Hesitancy degree is the fourth component of Neutrosophic set. The goal is to extract a set of features to represent the content of each image in the training database to be used for the purpose of retrieving images from the database similar to the image under consideration.

**Keywords:** Content-Based Image Retrieval (CBIR), Hesitancy Degree, Text-based Image Retrieval (TBIR), Neutrosophic Domain, Neutrosophic Entropy, Neutrosophic Contrast, Neutrosophic Energy, Neutrosophic Homogeneity.

## 1 Introduction

With an explosive growth of digital image collections, content based image retrieval (CBIR) has been emerged as one of the most active problems in computer vision as well as multimedia applications. The target of content-based image retrieval (CBIR) [3] is to retrieve images relevant to a query of a user, which can be expressed by example. In CBIR, an image is described by automatically extracted low-level visual features, such as color, texture and shape [11 16, 18]. When a user submits one or more query images as examples, a criterion based on this image description ranks the images of an image database according to their similarity with the examples of the query and, finally, the most similar are returned to the Digital image retrieval systems. Since 1990's, Content Based Image Retrieval (CBIR) has attracted great research attention [12,37]. Early research was focused on finding the best representation for image features. The current work primarily focuses on using Neutrosophic sets with Hesitancy degree Transformation methods for CBIR. The Neutrosophic logic which proposed by Smarandache in [33] is a generalization of fuzzy sets which introduced by Zada at 1965 [38], The fundamental concepts of neutrosophic set, introduced by Smarandache in [34, 35] and Salama etl in [1, 8, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29]. We will now extend the concepts of distances to the case of neutrosophic hesitancy degree. By taking into account the four parameters characterization of neutrosophic sets [19]. 59

## 2 Image Retrieval Techniques

### 2.1 Content-Based Image Retrieval (CBIR)

Content Based Image Retrieval is one of the important methods for image retrieval system. It enhances the accuracy of the image being retrieved, It is applicable for efficient query processing, automatically extract the low-level features such as texture, intensity, shape and color in order to classify the query and retrieve the similar images from the huge scale image collection of database. In CBIR, each image that is stored in the database has its features extracted and compared to the query image features [17]. Eakins [9] has divided image features into three levels:

Level 1 - This level deals with primitive features like color, texture, shape or some spatial information about the objects in the picture. This way we can filter images on a more global scale based on form or color. This can be used for finding images that are visually similar to the query image.

Level 2 - This level introduces the logical features or derived attributes which involve some degree of inference about the identity of the objects depicted in the image. So a typical query in a medical scope would be "Find images of a kidney".

Level 3 - Most complex of all levels, as it requires complex reasoning about the significance of the objects depicted. In this case the query would look like "Find image of an infected kidney".

#### 2.1.1 Color Features for Image Retrieval

Color is widely used low-level visual features and it is invariant to image size and orientation [4].

- Color Histogram: In CBIR, one of the most popular features is the color histogram in HSV color space, which used in MPEG-7 descriptor. At first, the images converted to the HSV color space, and uniformly quantizing H, S, and V components into 16, 2, and 2 regions respectively generates the 64-bit color histogram [36].
- Color moments: To form a 9-dimensional feature vector, the mean  $\mu$ , standard deviation  $\sigma$ , and skew  $g$  are extracted from the R, G, B color spaces. The best known space color and commonly used for visualization is the RGB space color. It can be depict as a cube where the horizontal x-axis as red values increasing to the left, y-axis as blue increasing to the lower right and the vertical z-axis as green increasing towards the top [15].

## 2.1.2 Texture Feature for Image Retrieval

In the texture feature extraction, using the gray level co-occurrence matrix for the query image and the first image in the database to extract the texture feature vector [13]. The co-occurrence matrix representation is a technique used to give the intensity values and the distribution of the intensities. The features which selected for retrieving texture properties are Energy, Entropy, Inverse difference, Moment of inertia, Mean, Variance, Skewness, Distribution uniformity, Local stationary and Homogeneity [10].

## 2.1.3 Shape Features for Image Retrieval

The shape defined as the characteristic surface configuration of an object: an outline or contour. The object can be distinguished from its surroundings by its outline [4].

We can divide the shape representations into two categories:

- 1- Boundary-based shape representation: it uses only the outer boundary of the shape. It works by describing the considered region by using its external characteristics. For example, the pixels along the object boundary [32].
- 2- Region-based shape representation: it uses the entire shape region. It works by describing the considered region using its internal characteristics. For example, the pixels which the region contained [32].

## 3 Hesitancy degree

We will now extend the concepts of distances to the case of neutrosophic hesitancy degree. By taking into account the four parameters characterization of neutrosophic sets  $A = \{ \langle \mu_A(x), v_A(x), \gamma_A(x), \pi_A(x) \rangle, x \in X \}$  [19].

### Definition 3.1 [19]:

Let  $A = \{ \langle \mu_A(x), v_A(x), \gamma_A(x) \rangle, x \in X \}$  and  $B = \{ \langle \mu_B(x), v_B(x), \gamma_B(x) \rangle, x \in X \}$  on  $X = \{x_1, x_2, x_3, \dots, x_n\}$

For a Neutrosophic set  $A = \{ \langle \mu_A(x), v_A(x), \gamma_A(x) \rangle, x \in X \}$  in  $X$ , We call  $\pi_A(x) = 3 - \mu_A(x) - v_A(x) - \gamma_A(x)$ , the Neutrosophic index of  $x$  in  $A$ , It is a hesitancy degree of  $x$  to  $A$  it is obvious that  $0 \leq \pi_A(x) \leq 3$ .

## 4 Images in the Neutrosophic Domain with Hesitancy degree

The image in the neutrosophic domain is considered as an array of neutrosophic singletons [19]. Let  $U$  be a universe of discourse and  $W$  is a set in  $U$  which composed of bright pixels. A neutrosophic images  $P_{NS}$  is characterized by three sub sets  $T$ ,  $I$ , and  $F$ . which can be defined as  $T$  is the degree of membership,  $I$  is the degree of indeterminacy, and  $F$  is the degree of non-membership. In the image, a pixel  $P$  is described as  $P(T, I, F)$  which belongs to  $W$  by it is  $t\%$  is true in the bright pixel,  $i\%$  is the indeterminate and  $f\%$  is false where  $t$  varies in  $T$ ,  $i$  varies in  $I$ , and  $f$  varies in  $F$ . In the image domain, the pixel  $p(i, j)$  is transformed to  $NDP_{NS}(i, j) = \{T(i, j), I(i, j), F(i, j)\}$ . Where  $T(i, j)$  belongs to white set,  $I(i, j)$  belongs to indeterminate set and  $F(i, j)$  belongs to non-white set.

Which can be defined as [2]:

$$P_{NS}(i, j) = \{T(i, j), I(i, j), F(i, j)\} \quad (1)$$

$$T(i, j) = \frac{\overline{g(i, j)} - \overline{g}_{min}}{\overline{g}_{max} - \overline{g}_{min}} \quad (2)$$

$$I(i, j) = 1 - \frac{H_0(i, j) - H_0}{H_{0,max} - H_{0,min}} \quad (3)$$

$$F(i, j) = 1 - T(i, j) \quad (4)$$

$$\pi(i, j) = 3 - T(i, j) - I(i, j) - F(i, j) \quad (5)$$

$$H_0(i, j) = abs \left( g(i, j) - \overline{g(i, j)} \right) \quad (6)$$

Where  $\overline{g(i, j)}$  can be defined as the local mean value of the pixels of window size, and  $H_0(i, j)$  can be defined as the homogeneity value of  $T$  at  $(i, j)$ , which described by the absolute value of difference between intensity  $g(i, j)$  and its local mean value  $\overline{g(i, j)}$ .

The second transformation for  $NDP_{NS}(i, j) = \{T(i, j), I(i, j), F(i, j), \pi(i, j)\}$

Where  $\pi(i, j) = 3 - T(i, j) - I(i, j) - F(i, j)$  in [19].

## 5 Texture features in neutrosophic domain

### 5.1 Neutrosophic Entropy with Hesitancy degree:

Shannons Entropy provides an absolute limit on the best possible average length of lossless encoding or compression of an information source.

Conversely, rare events provide more information when observed. Since observation of less probable events occurs more rarely, the net effect is that the entropy received from non-uniformly distributed data is than  $\log_2(n)$ . Entropy is zero when one outcome is certain. Shannon entropy quantifies all these considerations exactly when a probability distribution of the source is known. Entropy only takes into account the probability of observing a specific event, so the information which encapsulates is information about the underlying probability distribution, not the meaning of the events themselves [30].

Entropy is defined as [6]:

$$Entropy = \sum_i \sum_j P(i, j) \log P(i, j)$$

Although, the Neutrosophic Set Entropy was defined in one dimension which presented in [5], We will define it in two dimension to be as follows:

$$\begin{aligned} En_{NS} &= En_T + En_I + En_F \\ En_T &= \sum_i \sum_j P_T(i, j) \log P_T(i, j) \\ En_I &= \sum_i \sum_j P_I(i, j) \log P_I(i, j) \\ En_F &= \sum_i \sum_j P_F(i, j) \log P_F(i, j) \\ En_{\pi} &= 3 - (En_T + En_I + En_F) \end{aligned}$$

Where P contains the histogram counts.

Because, we used the interval between 0 and 1,  $\log P(i, j)$  may have negative values.

So, we use the absolute of  $En_T, En_I, \text{ and } En_F$

## 5.2 Neutrosophic Contrast with Hesitancy degree::

Contrast is the difference in luminance or color that makes an object distinguishable. In visual perception of the real world, contrast is determined by the difference in the color and brightness of the object and other objects within the same field of view. The human visual system is more sensitive to contrast than absolute luminance. The maximum contrast of an image is the contrast ratio or dynamic range.

It is the measure of the intensity contrast between a pixel and its neighbor over the whole image, it can be defined as [31]:

$$Contrast = \sum_i \sum_j (i - j)^2 P(i, j)$$

We will define the Neutrosophic set Contrast to be as follows:

$$\begin{aligned} contrast_{NS} &= contrast_T + contrast_I + contrast_F \\ contrast_T &= \sum_i \sum_j (i - j)^2 P_T(i, j) \\ contrast_I &= \sum_i \sum_j (i - j)^2 P_I(i, j) \\ contrast_F &= \sum_i \sum_j (i - j)^2 P_F(i, j) \\ contrast_{\pi} &= 3 - (contrast_T + contrast_I + contrast_F) \end{aligned}$$

## 5.3 Neutrosophic Energy with Hesitancy degree:

It is the sum of squared elements. Which defined as [7]:

$$Energy = \sum_i \sum_j P^2(i, j)$$

We will define the Neutrosophic set Energy to be as follows:

$$\begin{aligned} Energy_{NS} &= Energy_T + Energy_I + Energy_F \\ Energy_I &= \sum_i \sum_j P_T^2(i, j) \\ Energy_I &= \sum_i \sum_j P_I^2(i, j) \\ Energy_F &= \sum_i \sum_j P_F^2(i, j) \end{aligned}$$

$$Energy_{\pi} = 3 - (Energy_T + Energy_I + Energy_F)$$

#### 5.4 Neutrosophic Homogeneity with Hesitancy degree:

Homogeneity describe the properties of a data set, or several datasets. Homogeneity can be studied to several degrees of complexity. For example, considerations of homoscedasticity examine how much the variability of data-values changes throughout a dataset. However, questions of homogeneity apply to all aspects of the statistical distributions, including the location parameter. Homogeneity relates to the validity of the often convenient assumption that the statistical properties of any one part of an overall dataset are the same as any other part. In meta-analysis, which combines the data from several studies, homogeneity measures the difference or similarities between the several studies.

That is a value which measures the closeness of the distribution of elements. Which defined as [14]:

$$Homogeneity = \sum_i \sum_j \frac{P(i,j)}{1 + |i - j|}$$

We will define the Neutrosophic set Homogeneity to be as follows:

$$Homogeneity_{NS} = Homogeneity_T + Homogeneity_I + Homogeneity_F$$

$$Homogeneity_T = \sum_i \sum_j \frac{P_T(i,j)}{1 + |i - j|}$$

$$Homogeneity_I = \sum_i \sum_j \frac{P_I(i,j)}{1 + |i - j|}$$

$$Homogeneity_F = \sum_i \sum_j \frac{P_F(i,j)}{1 + |i - j|}$$

$$Homogeneity_{\pi} = 3 - (Homogeneity_T + Homogeneity_I + Homogeneity_F)$$

Recently, the Euclidean distance is calculated between the query image and the first image in the database and stored in an array. This process is repeated for the remaining images in the database followed by storing their values respectively. The array is stored now in ascending order and displayed the first 8 closest matches.

#### 6. Conclusion and Future Work:

In this paper we introduced a survey of the Text-Based Image Retrieval (TBIR) and the Content-Based Image Retrieval (CBIR). We also introduced the image in neutrosophic domain with hesitancy degree and the texture feature in neutrosophic domain. In future, we plan to introduce some similarity measurement which may be used to determine the distance between the image under consideration and each image in the database using the features we introduced in this paper. Hence, the images similar to the image under consideration can be retrieved.

#### 7. References:

- [1] Albowi S. A., Salama A. A. & Eisa M., New Concepts of Neutrosophic Sets , in *International Journal of Mathematics and Computer Applications Research (IJMCAR)*, 3(4), 95-102, 2013.
- [2] Cheng H. D., Guot Y., Zhang Y., A Novel Image Segmentation Approach Based on Neutrosophic Set And Improved Fuzzy C- Means Algorithm, *World Scientific Publishing Company, New Math. And Natural Computation*, 7(1), 155-171, 2011.
- [3] Datta, R., Li, J., Wang, J.Z.: Content-Based Image Retrieval: Approaches and Trends of the New Age. *Multimedia Information Retrieval*, 253–262, 2005.
- [4] Danish M., Rawat R., Sharma R., A Survey: Content –Based Image Retrieval Based on Color, Texture, Shape & Neuro Fuzzy, Mohd. Danish et al. *Int. Journal of Engineering Research and Applications*, 3(5), 839-844, Sep- oct 2013
- [5] Eisa M., A New Approach For Enhancing Image Retrieval Using Neutrosophic Set , *International Journal of Computer Applications*, 95(8), 0975-8887, June 2014.
- [6] Gang F. Zh., Li J., BoWu, and Wu Y., Local Patterns Constrained Image Histograms For Image Retrieval, 15 *IEEE International Journal Conference on IEEE*, 941-944, 2008.
- [7] Hearn D. and Baker M. P., *Computer Graphics*, Englewood Cliffs, NJ: Prentice Hall, ch. 14, 500-504, 1994.
- [8] Hanafy I., Salama A.A. and Mahfouz K., Correlation of Neutrosophic Data , in *International Refereed Journal of Engineering and Science (IRJES)* ,1(2), 39-43, 2012.
- [9] Hwang, K.H., Lee, H., Choi, D.: Medical image retrieval: past and present. *Healthc. Inf. Res.*, 18(1), 3–9 ,2012.
- [10] Ingle D., Bhatia Sh., Content Based Image Retrieval using Combined Features, *International Journal of Computer Applications* , 44(17), 0975-8887, April 2012.
- [11] Ionescu, B., Lambert, P., Coquin, D., Buzuloiu, V.: Color based content retrieval of animation movies: a study. In: *Proceedings of the International Workshop on Content- Based Multimedia Indexing (CBMI 2007)*, Talence, France, 295–302 ,June 2007.
- [12] Jing, F., Li, M., Zhang, H.-J., Zhang, B.: Relevance Feedback in Region-Based Image Retrieval. *IEEE Trans. Circuits Syst. Video Technol.* 14(5), 672–681 (2004)

- [13] Kong F. H., Image Retrieval using Both Color And Texture Features, Department of Information science & Technology, Heilongjiang Proceedings of the Eighth International Conference on Machine learning and Cybernetics, Baoding, 4, 2228-2232, 12-15 July 2009.
- [14] [Kuijk A. A. M., Advanced in Computer Graphics Hardware III, Springer,1991.](#)
- [15] [Lee I., Muneesawang P., Guan L., Automatic Relevance Feedback for Distributed Content-Based Image Retrieval, ICGT, IEEE.org FLEX Chip signal processor \( MC68175/D\), Motorola, 1996.](#)
- [16] Ma, W.Y., Zhang, H.J.: Content-Based Image Indexing and Retrieval. In: Handbook of Multimedia Computing, CRC Press, Boca Raton, 1999
- [17] [Ramamurthy B., Chandran K.R., Meenakshi V.R., and Shilpa V., CBMIR: Content Based Medical Image Retrieval System Using Texture and Intensity for Dental Images, 305, 125–134, 2012.](#)
- [18] [Rui, Y., Huang, T.S., Chang, S.-F.: Image retrieval: current techniques, promising directions, and open issues. Journal of Visual Communication and Image Representation 10\(1\), 39–62 ,1999.](#)
- [19] Salama A. A., Smarandache F. and Eisa M., Introduction to Image Processing via Neutrosophic Techniques, Neutrosophic Sets and Systems, 5, 59-64, 2014.
- [20] Salama A. A., Eisa M., Elhafeez S. A., Lotfy M. M., Review of Recommender systems Algorithms Utilized in social Networks based e-Learning Systems & Neutrosophic System, Neutrosophic Sets and Systems, 8, 32- 41, 2015.
- [21] [Salama A.A., and Elagamy H., Neutrosophic Filters, in International Journal of Computer Science Engineering and Information Technology Research \(IJCEITR\), 3\(1\), 307-312, 2013.](#)
- [22] [Salama A. A., Basic Structure of Some Classes of Neutrosophic Crisp Nearly Open Sets & Possible Application to GIS Topology, Neutrosophic Sets and Systems, 7, 1-5, 2014.](#)
- [23] [Salama A. A., Smarandache F., Alblowi S. A., The Characteristic Function of a Neutrosophic Set, Neutrosophic Sets and Systems, 3, 14-17, 2014.](#)
- [24] [Salama A. A., El-Ghareeb H. A., Manie A. M., Smarandache F., Introduction to Develop Some Software programs for Dealing with Neutrosophic Sets, Neutrosophic Sets and Systems, 3, 51-52, 2014.](#)
- [25] [Salama A. A., Abdelfattah M., Eisa M., Distances, Hesitancy Degree and Flexible Querying via Neutrosophic Sets, International of Computer Applications, 101\(10\), 0975-8887, September 2014.](#)
- [26] [Salama A. A., Eisa M., Abdelmoghny M. M., Neutrosophic Relations Database, International Journal of Information Science and Intelligent System, 3\(2\), 1-3, 2014.](#)
- [27] [Salama A. A., Broumi S., Rughness of Neutrosophic Sets, Elixir Appl. Math., 74, 26833-26837, 2014.](#)
- [28] [Salama A. A., El-Ghareeb H. A., Manie A. M., Lotfy M. M., Utilizing Neutrosophic Set in Social Network Analysis e- Learning Systems, International Journal of Information Science and Intelligent Systems, 3\(4\), 61-72, 2014.](#)
- [29] [Salama A. A., Alagamy H., Neutrosophic Filters, International Journal of computer Science Engineering and Information Technology Research, 3\(1\), 307-312, 2013.](#)
- [30] [Shannon C. E., A Mathematical Theory of Communication, The Bell System Technical Journal, 27, 379-423, 623-656, July, October, 1948.](#)
- [31] [Sinha M. N., Udai A. D., Computer Graphics, Taha McGraw – Hill publishing company limited.](#)
- [32] [Sifuzzaman M., Islam M. R. and Ali M. Z., Application of Wavelet Transform and Its Advantage Compared to Fourier Transform, Journal of Physical Sciences, 13, 121-134, 2009.](#)
- [33] [Smarandache F., Neutrosophic set- A generalization of the Intuitionistic Fuzzy set, Granular Computing, IEEE International Conference, 38-42, may 2006.](#)
- [34] [Smarandache F., Neutrosophy and Neutrosophic Logic, First International Conference on Neutrosophy, Neutrosophic Logic, Set, Probability, and Statistics, University of New Mexico, Gallup, USA, 87301, 2002.](#)
- [35] [Smarandache F., A Unifying Field in Logics: Neutrosophic Logic, Neutrosophy, Neutrosophic Set, Neutrosophic Probability, American Research Press, Rehoboth, NM, 1-41, 1999.](#)
- [36] [Toldin P. P., A Survey on Content-Based Image Retrieval / browsing Systems Exploiting Semantic, 9-13, 2010.](#)
- [37] [Tong, S., Chang, E.: Support Vector Machine Active Learning for Image Retrieval. ACM Multimedia, 107–118 ,2001.](#)
- [38] [Zadeh L.A., Fuzzy sets, Information and Control, 8, 338-353, 1965.](#)